



PELICAN  
— PLAYGROUNDS —

**No Fault<sup>®</sup>**

**Resilient Playground  
and Athletic Surface**

# NO FAULT Safety Surface

No Fault

No Fault


## Standard Color Blends




50% Tan  
50% Black



50% Terra Cotta  
50% Black



50% Blue  
50% Black



50% Green  
50% Black

## Features & Characteristics

- Recycled / Environmentally Friendly
- Seamless & Accessible
- Porous & Slip Resistant
- Freeze / Thaw Resistant
- Customizable Designs
- Clean / Non-Toxic

## No Fault Safety Surface for Playgrounds

No Fault Safety Surface (NFSS) is comprised of the highest quality EPDM or TPV rubber granules blended with a polyurethane binder. NFSS is poured-in-place and professionally installed on site as a 2-layer system for playgrounds. The bottom impact absorbing layer is made of clean, recycled rubber buffing. The top decorative wear layer consists of high-quality EPDM or TPV rubber granules. The wear layer is available in a wide variety of color blends and provides the option to create fun theme shaped designs.

Utilizing our exclusive hand troweling and screed rod method, No Fault Safety Surface Playground System is engineered on site by our certified installation crew.

The complete No Fault Safety Surface System is designed to provide a resilient, porous, and seamless playground safety surface. It is the absolute best playground safety surface available for fall protection and ADA accessibility.

No Fault Sport Group provides coast-to-coast installation service to ensure consistent quality and premium customer service for all of our poured-in-place surfaces!



Safe & Durable



Aesthetically Pleasing



Customizable Designs



Low Maintenance

## Available Colors for No Fault Safety Surface



Brown



Tan



Teal




Yellow



Gold



Light Blue



Blue



Light Green



Green



Terra Cotta  
Red




Orange

## Fall Height Chart

Depth	Fall Height
1.75"	4'
2.25"	5'
2.5"	6'
3"	7'
3.5"	8'
4.5"	9'
5"	10'
6.5"	12'

## Added Values

- Superior Customer Service
- Proven Durability
- IPEMA Certified
- ASTM, CPSC & LEED Compliant
- ADA Accessible
- Experienced Craftsmanship
- Factory Warranty
- Reduced Maintenance Cost
- Enhanced Safety



To verify product certification visit [www.ipema.org](http://www.ipema.org)

# NO FAULT Safety Surface

No Fault

## Features & Characteristics

- Seamless & Porous
- Slip Resistant
- Clean / Non-Toxic
- Customizable Designs
- UV Stable

## Added Values

- Superior Customer Service
- Proven Durability
- Experienced Craftsmanship
- Factory Warranty
- Enhanced Safety

## No Fault Safety Surface for Water Play


No Fault Safety Surface for Water Play is manufactured on site. The blending of multiple color combinations to create custom inlaid graphic designs and patterns makes it the perfect play surface for pool decks, splash pads, and themed environments.

No Fault Safety Surface for Water Play is designed for barefoot play in wet areas. This system consists of the highest quality EPDM or TPV rubber granules integrated with a polyurethane binder and professionally installed at 3/8" (minimum) total depth over a concrete sub-base.


No Fault Sport Group provides coast-to-coast installation service to ensure consistent quality and premium customer service for all of our poured-in-place surfaces!



Safe, Barefoot Fun!



Custom Designs



No Fault

## Water Environment Applications

- Splash Pads
- Water Parks
- Landing Pads
- Pool Decks
- Walkways

"We absolutely love the new surface! The colors are so bright and vibrant, and are certain to add to the enjoyment of our families for years to come."

– Give Kids the World, Kissimmee, FL

## Recommended Color Blends for Water Environments



33% Tan + 33% Brown  
34% Terra Cotta



60% Tan + 20% Gray  
20% Terra Cotta




60% Tan + 20% Brown  
20% Terra Cotta



60% Tan + 20% Brown  
20% Gray



60% Tan + 20% Gray  
20% Turquoise



34% Blue + 33% Gray  
33% Light Blue



To verify product certification visit [www.ipema.org](http://www.ipema.org)

# NO FAULT Safety Surface

No Fault

## Features & Characteristics

- Safe & Resilient
- Fast Drying After Heavy Rainfall
- ADA Accessible
- Low Maintenance

## Added Values

- Superior Customer Service
- Proven Durability
- Experienced Craftsmanship
- Factory Warranty
- Enhanced Safety

"If you don't have a poured-in-place rubber surface for your playground, then you don't have a surface for children of all abilities. The No Fault Safety Surface is beautiful, and we love it."

- Arise at the Farm, Chittenango, NY

## No Fault Safety Surface for Multi-Purpose Applications

No Fault Safety Surface for Multi-Purpose Applications is designed for high intensity recreation areas to promote active play while allowing a cooler, slip resistant, and less abrasive surface than alternative surfaces.

No Fault Sport Group provides coast-to-coast installation service to ensure consistent quality and premium customer service for all of our poured-in-place surfaces!



Recreational Fun for all ages!



## Multi-Purpose Applications

- Running, Walking & Jogging Fitness Paths
- Courtyards & Recreation Areas
- Basketball Courts



## No Fault Safety Surface for Accessible Ballfields

No Fault Safety Surface for Accessible Ballfields is designed to be ADA compliant and promotes inclusive play for children of all ages and abilities.

No Fault Safety Surface for Accessible Ballfields is professionally installed by blending the highest quality TPV granules and polyurethane binder at a minimum of 1/2" thickness over concrete. Poured on site, the surface allows for the blending of color combinations to create custom patterns, lines, and designs.

Existing Accessible Ballfields can be given new life by applying the No Fault Safety Surface for Accessible Ballfields as a resurfacing option. Same as new fields, the surface is installed at 1/2" thickness over the old rubber surfacing and can incorporate a variety of colors and designs.



No Fault

## Features & Characteristics

- ADA Accessible
- Slip Resistant
- Safe & Resilient
- Fast Drying After Heavy Rainfall
- Low Maintenance
- Customizable Design

## Added Values

- Superior Customer Service
- Proven Durability
- Experienced Craftsmanship
- Factory Warranty
- Enhanced Safety

## Recommended Color Blends for Multi-Purpose




50% Tan  
50% Black



50% Terra Cotta  
50% Black



50% Blue  
50% Black



50% Green  
50% Black

## Recommended Color Blends for Accessible Ballfields




50% Tan  
50% Black



50% Terra Cotta  
50% Black



50% Blue  
50% Black



50% Green  
50% Black



To verify product certification visit [www.ipema.org](http://www.ipema.org)

# NO FAULT Rubber Mulch

No Fault

## No Fault BONDED Rubber Mulch (100% Shredded Mulch)

No Fault Bonded Rubber Mulch (poured-in-place) utilizes clean, 100% recycled shredded rubber mulch combined with a single component polyurethane binder to achieve a unique, attractive, and natural look for outdoor activity areas. Always ready for use, the extremely porous bonded mulch allows water to rapidly flow through the surface.

Applied at various depths, No Fault Bonded Rubber Mulch provides an impact absorbing, seamless, and accessible safety surface that requires little to no maintenance.

No Fault Sport Group provides coast-to-coast installation service to ensure consistent quality and premium customer service for all our poured-in-place surfaces!



### Bonded Rubber Mulch Applications

- Playgrounds
- Decorative Theme Environments
- Jogging Paths/ Walking Trails
- Landscapes and Tree Wells
- Courtyard & Decking
- Commercial & Residential



## No Fault Loose Fill Rubber Mulch (100% Nuggets)

No Fault Loose Fill Rubber Mulch is made from clean, 100% recycled tires and provides excellent fall protection.

No Fault Rubber Mulch is an environmentally sustainable product that is non-toxic and non-staining. The color will not rub off on clothing, skin, or pets, and color will not bleed with rain.



### Loose Fill Rubber Mulch Applications

- Playgrounds
- Landscapes
- Tree Wells
- Commercial & Residential



No Fault

### Features & Characteristics

- Porous / Drains Well
- Clean / Non-Toxic
- 99.9% Wire Free
- 100% Recycled
- Easy Installation

### Added Values

- Color Fade Warranty
- IPEMA Certified
- ASTM & ADA Compliant
- Excellent Fall Protection

### Bonded Mulch Fall Height Chart

Depth	Fall Height
2.25"	5'
2.75"	6'
3.5"	7'
4"	8'


### Features & Characteristics

- Porous / Drains Well
- 100% Recycled
- Seamless & Natural Appearance
- Installs Over Leveled Earth

### Added Values

- IPEMA Certified
- ASTM & ADA Compliant
- Excellent Fall Protection
- Low Maintenance
- Factory Warranty

### Available Colors for Bonded Rubber Mulch



### Available Colors for Rubber Mulch Nuggets



To verify product certification visit [www.ipema.org](http://www.ipema.org)

# NO FAULT Safety Tiles

No Fault

## Features & Characteristics

- Full Glue or 4-Corner Lock System (optional)
- Easy Installation for Community Build Projects
- UV Resistant
- Freeze/Thaw Resistant


## Added Values

- Superior Customer Service
- Made in USA
- Manufacturer Warranty
- IPEMA Certified
- ASTM, CPSC and LEED Compliant
- ADA Accessible
- Environmentally Sustainable

## No Fault Safety Tiles

No Fault Safety Tiles are manufactured in the USA utilizing 100% environmentally sustainable recycled rubber. Our tiles are engineered exclusively to reduce the risk of serious injury associated with falls from playground equipment and other elevated surfaces. The dense recycled rubber composition enables easy maintenance and provides a clean, safe alternative to loose products such as wood mulch, sand, or pea gravel.

No Fault Safety Tiles are available in four traditional pigmented colors. All tiles have matching components for transitions, corners, and ADA accessibility. No Fault Safety Tiles are an excellent choice for new or renovated playgrounds offering easy installation, low maintenance, and superior performance.



Safe & Versatile



Durable & Accessible



No Fault

## Applications

- Playgrounds
- Roof Top Play Areas
- Patios & Courtyards
- Athletic & Recreational Spaces
- Indoor Playgrounds, Malls & Fitness Centers

- Call for critical fall height thickness
- Requires rigid or solid base for installation
- See our website for additional technical details

## Available Colors for No Fault Safety Tiles



Black



Gray




Green



Terra Cotta

- Ask us about our premium EPDM and Ultra Tile color options
- Custom designs available upon request



To verify product certification visit [www.ipema.org](http://www.ipema.org)

# NO FAULT SporTurf

No Fault

## Features & Characteristics

- Low Maintenance
- Excellent Porosity
- Non-Rubber Infill
- Environmentally Friendly
- Superior Fall Protection
- ADA Accessible

## Added Values

- Superior Customer Service
- Made in USA
- High Performance
- Infill Cooling System
- Reduces Allergens
- Manufacturer Warranty

## No Fault SporTurf for Playgrounds and Open-Play Areas

No Fault SporTurf is the new generation of safety surface designed to bring sustainability, long-term value, and improved performance to playgrounds and multipurpose open-play areas. This beautiful and lush artificial turf created for playgrounds features proprietary sports performance fibers proven to outperform ordinary landscape fibers.

No Fault SporTurf for playgrounds can be installed over foam padding or a poured-in-place impact layer providing superior fall protection and ADA accessibility. The result is an impressive, sleek multi-functional play area that requires little to no maintenance and meets up to a 10 foot fall height.

No Fault Sport Group provides coast-to-coast installation services to ensure consistent quality and premium customer service for all SporTurf applications.



No Fault

## Non-Rubber Infill

- Provides a safe environment for children & pets
- Cleaner than ordinary sand or crumb rubber
- Reduces turf temperature

*"The owners at Avanti Senior Living were extremely pleased with the No Fault SporTurf product. The natural look of the turf created a beautiful, low maintenance courtyard for the residents to enjoy. We enjoyed having knowledgeable and professional No Fault installers as our subcontractor and will definitely use them again for future projects."*

- Terry Hill- Womack Construction, Baton Rouge, LA

*"Every member of the No Fault team that we dealt with from the start was very professional, helpful, and exemplified customer service. Thank you for such great service."*

-Cypress Heights Academy, Baton Rouge, LA

*"The installers were great, hard workers, courteous, and professional. They did an awesome job. We will highly recommend No Fault for surfacing."*

- Strong Reach Playground, Bowden, GA



To verify product certification visit [www.ipema.org](http://www.ipema.org)

# Quick Reference Guide

## No Fault Safety Surface

*(Traditional Poured-in-Place) For Playgrounds, Water Play & Walking Tracks*

Professionally Installed  
 Installs over concrete, asphalt or compacted stone  
 Variety of color options  
 In-laid designs available  
 IPEMA Certified  
 See pages 2-7



## No Fault Bonded Rubber Mulch

*(Poured-in-Place Rubber Mulch) For Playgrounds & Fitness Trails*

Professionally Installed  
 Installs over concrete, asphalt, compacted stone or compacted earth  
 Single or double blended color options  
 IPEMA Certified  
 See page 8



## No Fault Rubber Nuggets

*(Loose Fill Rubber Nuggets) For Playgrounds and Landscaping*

Self Installed  
 Installs over leveled earth  
 Four color options  
 IPEMA Certified  
 See page 9



## No Fault Safety Tiles

*(Rubber Safety Tiles) For Playgrounds & Walkways*

Self Installed  
 Installs over concrete, asphalt, compacted stone or rooftops  
 Pigmented and Ultra color options  
 IPEMA Certified  
 See pages 10-11



## No Fault SporTurf

*(Synthetic Turf) For Playgrounds and Open-Play Areas*

Professionally Installed  
 Installs over concrete, asphalt or compacted stone  
 Non-Rubber Infill  
 IPEMA Certified  
 See page 12-13



### Disclaimers:

- No Fault surface temperatures will vary with the ambient temperature; subsequently, the surfacing will become hot with rising temperatures. No Fault recommends the owner monitor the play area and provide adequate signage warning that equipment and surfacing exposed to the intense, direct sun can potentially burn. No Fault Sport Group assumes no liability to such exposure of the surfacing temperature as this should be monitored prior to use.
- All colors depicted in catalog may not be an exact match to the colors in the field.

# WE CAN HELP!



#082114-NFS

No Fault is proud to be an awarded vendor of Sourcewell® (Formerly NJPA).

Sourcewell is a government cooperative purchasing program that allows you to cut through all the paperwork by going through the bid process for you. Sourcewell offers nationally leveraged contract pricing with highly qualified vendors.

Membership is FREE!

Call your No Fault representative to learn more or visit:  
<https://sourcewell-mn.gov/become-member>  
 to sign up today.





It is the mission of No Fault™ Sport Group to provide our customers with premium quality athletic and playground surfacing products. We are dedicated to superior customer service and consistent quality guaranteed!

## CERTIFICATIONS



## PURCHASING OPTION

## INDUSTRY MEMBERSHIPS



NRPA



Local No Fault surfacing rep:  
Pelican Playgrounds

504.909.6544  
info@pelicanplaygrounds.com

www.pelicanplaygrounds.com

